

Open Lab Fee

# IH CHAIN OF CUSTODY



J3 Order # (Lab use only)

<b>Submitter Name:</b> _____	<b>Bill to:</b> _____
<b>Company:</b> _____	<b>Address:</b> _____
<b>Address:</b> _____	<b>City/State:</b> _____ <b>Zip:</b> _____
<b>City/State:</b> _____ <b>Zip:</b> _____	<b>PO #:</b> _____

### Project Information

Project Name: _____	Project Manager: _____
Project #: _____	Telephone – Office/Cell _____
Reports - Email Address: _____	
Invoice - Email Address: _____	Notification By: Email: <input type="checkbox"/> Verbal: <input type="checkbox"/> Text: <input type="checkbox"/>

**Special Instructions:** \_\_\_\_\_

### Turnaround Times – Please Select One

<b>Emergency*</b> <input type="checkbox"/>	<b>1 Day</b> <input type="checkbox"/>	<b>2 Day</b> <input type="checkbox"/>	<b>3 Day</b> <input type="checkbox"/>	<b>5 Day</b> <input type="checkbox"/>
--	---------------------------------------	---------------------------------------	---------------------------------------	---------------------------------------

### ASBESTOS

PLM - Bulk	PCM - Air	TEM - Air	TEM - Bulk	TEM - Water	TEM - Dust	TEM/PLM Soil/Vermiculite/Ore
<b>EPA 600/R-93/116</b> <input type="checkbox"/> Visual Estimation (<1%) <input type="checkbox"/> 400 Point Count 0.25% <input type="checkbox"/> 1,000 Point Count 0.1% <input type="checkbox"/> Gravimetric Reduction <input type="checkbox"/> Matrix Reduction (+/-) <input type="checkbox"/> <b>NIOSH 9002</b> <input type="checkbox"/> <b>OSHA ID-191</b>	<input type="checkbox"/> <b>NIOSH 7400</b> <input type="checkbox"/> <b>ASTM D7201</b> <input type="checkbox"/> <b>ISO 8672</b> <input type="checkbox"/> <b>OSHA ID-160</b>	<input type="checkbox"/> <b>ASHERA</b> <input type="checkbox"/> <b>NIOSH 7402</b> <input type="checkbox"/> <b>ASTM D6281</b> <input type="checkbox"/> <b>ISO 10312</b> <input type="checkbox"/> <b>ISO 13794</b>	<input type="checkbox"/> Gravimetric Reduction (<1%) <input type="checkbox"/> Matrix Reduction (+/-) <input type="checkbox"/> Qualitative (+/-) <input type="checkbox"/> Drop Mount <input type="checkbox"/> Filtration	<input type="checkbox"/> <b>EPA 100.2</b> Drinking Water <input type="checkbox"/> >10 µm fibers <input type="checkbox"/> ≥0.5 µm fibers <input type="checkbox"/> <b>EPA 100.2</b> Effluent / WW	<input type="checkbox"/> <b>ASTM D5755</b> Microvac <input type="checkbox"/> <b>ASTM D6480</b> Wipe <input type="checkbox"/> <b>600/J-93/167</b> Carpet - EPA <input type="checkbox"/> Bulk Dust Qualitative	<input type="checkbox"/> <b>ASTM 7521-TEM (+/-)</b> <input type="checkbox"/> <b>ASTM 7521-TEM (&lt;1%)</b> <input type="checkbox"/> <b>CARB 435-Modified</b> <input type="checkbox"/> Soil – PLM Only (+/-) <input type="checkbox"/> Vermiculite - TEM (+/-) <input type="checkbox"/> Vermiculite-Cincinnati <input type="checkbox"/> Erionite ID

### METALS

Flame AA	Graphite Furnace AA - LEAD	ICP	SILICA/PARTICULATES
<input type="checkbox"/> Lead in Paint – <b>SW846 7420/3050B</b> <input type="checkbox"/> Lead in Air – <b>NIOSH 7082</b> <input type="checkbox"/> Lead in Wipes – <b>SW846 7420/3050B</b> <input type="checkbox"/> Lead in Soil – <b>SW846 7420/3050B</b> <input type="checkbox"/> TCLP – <b>SW846-1311/6010B</b>	<input type="checkbox"/> Drinking Water – <b>EPA 200.9</b> <input type="checkbox"/> Wastewater – <b>SW846-7421</b> <input type="checkbox"/> Soil/Sludge – <b>SW846-7421</b> <input type="checkbox"/> Air – <b>NIOSH 7105</b>	<input type="checkbox"/> Elements in Air – <b>NIOSH 7300</b> <input type="checkbox"/> Wipe/Soil – <b>SW846-6010B</b> <input type="checkbox"/> Effluent – <b>SW846-6010B</b> <input type="checkbox"/> Welding Fume – <b>NIOSH 7300M</b>	<input type="checkbox"/> Respirable Crystalline Silica <b>NIOSH 7500 / OSHA 142</b> <input type="checkbox"/> <b>NIOSH 0500</b> – Total Particulates <input type="checkbox"/> <b>NIOSH 0600</b> – Respirable Particulates

**Total Number of Samples Submitted:** \_\_\_\_\_ **Positive Stop:**  YES  NO

### Signatures

<b>Relinquished By:</b> _____	<b>Date:</b> _____	<b>Time:</b> _____
<b>Received By:</b> _____	<b>Date:</b> _____	<b>Time:</b> _____
<b>Relinquished By:</b> _____	<b>Date:</b> _____	<b>Time:</b> _____
<b>Received By:</b> _____	<b>Date:</b> _____	<b>Time:</b> _____

\* Emergency TAT requires prior lab notification. All samples analyzed outside normal business hours are charged at Emergency rate.  
 \*\*TAT's are in Business Days rather than Hours (i.e. 1 Day TAT = End of Next Business Day)

